

Neck Seals

Standard Bellow Neck Seal - 10" Mounting diameter (standard)

	Size	Quality	Neck Circumference / Diameter	Fits**	Thickness
FD-N1-S	Small	Flexible	9.15" / 2.91"	10"-13"	0.5-0.7mm
FD-N1-M	Medium	Flexible	10.5" / 3.34"	12"-15"	0.5-0.7mm
FD-N1-L	Large	Flexible	11.9" / 3.79"	14"-17"	0.5-0.7mm
FD-N1-XL*	X-Large	Flexible	13.5" / 4.30"	16"-20"	0.5-0.7mm
GD-N1-S	Small	Standard	9.15" / 2.91"	10"-12.5"	0.7-1.0mm
GD-N1-M	Medium	Standard	10.5" / 3.34"	12"-14.5"	0.7-1.0mm
GD-N1-L	Large	Standard	11.9" / 3.79"	14"-16.5"	0.7-1.0mm
GD-N1-XL	X-Large	Standard	13.5"/4.30"	16"-19"	0.7-1.0mm
HD-N1-S	Small	Heavy Duty	9.15" / 2.91"	9.5"-11.5"	1.0-1.4mm
HD-N1-M	Medium	Heavy Duty	10.5" / 3.34"	11"-13"	1.0-1.4mm
HD-N1-L	Large	Heavy Duty	11.9" / 3.79"	12.5"-14.5"	1.0-1.4mm
HD-N1-XL	X-Large	Heavy Duty	13.5" / 4.30"	14.5"-17"	1.0-1.4mm



Inner Neck Seals

Conical Neck Seal (Viking style) 8" Mounting diameter

tem #	Size	Quality	Neck Circumference / Diameter	Fits**	Thickness
GD-N2-M	Medium	Standard	10" / 3.18"	11"-13"	0.7-1.0mm
GD-N2-L	Large	Standard	12" / 3.82"	13"-16"	0.7-1.0mm



Short Neck Seals

Short Bellow Neck Seal for Water Sport only - 10" Mounting diameter (standard)

Item #	Size	Quality	Neck Circumference / Diameter	Fits**	Thickness
GD-N3-M	Medium	Standard	8.5" / 2.7"	9"-12"	0.7-1.0mm
GD-N3-L	Large	Standard	11" / 3.5"	12"-15"	0.7-1.0mm

Bottleneck Wrist Seals

Standard Bottleneck Wrist Seals - 11" Mounting circumference (standard)

2" for mounting & 2" Neck - Total length 5"

5 rings inside for trimming

Item #	Size	Quality	Wrist Circumference / Diameter	Fits**	Thickness
GD-W1-XS	X-Small	Standard	4.1" / 1.30"	4.5"-5.5"	0.7-1.0mm
GD-W1-S	Small	Standard	4.8" / 1.53"	5.2"-6.2"	0.7-1.0mm
GD-W1-M	Medium	Standard	5.5" / 1.75"	5.9"-7.0"	0.7-1.0mm
GD-W1-L	Large	Standard	6.0" / 1.91"	6.4"-7.8"	0.7-1.0mm
GD-W1-XL	X-Large	Standard	6.5" / 2.07"	6.9"-10"	0.7-1.0mm
HD-W1-XS	X-Small	Heavy Duty	4.1" / 1.30"	4.3"-5.0"	1.1-1.4mm
HD-W1-S	Small	Heavy Duty	4.8" / 1.53"	5.0"-5.7"	1.1-1.4mm
HD-W1-M	Medium	Heavy Duty	5.5" / 1.75"	5.7"-6.2"	1.1-1.4mm
HD-W1-L	Large	Heavy Duty	6.0" / 1.91"	6.2"-6.8"	1.1-1.4mm
HD-W1-XL	X-Large	Heavy Duty	6.5" / 2.07"	6.8"-8.0"	1.1-1.4mm



* Only made on order.

** Fits is only a guideline. Personal comfort may vary.

Conical Wrist Seals

Standard conical Wrist Seals - 11" Mounting circumference (standard)

1" for mounting

Item #	Size	Quality	Wrist Circumference / Diameter	Fits**	Thickness
GD-W2-M	Medium	Standard	4.5" / 1.43"	4.7"-7.0"	0.7-1.0mm
GD-W2-L	Large	Standard	5.6" / 1.78"	5.8"-8.0"	0.7-1.0mm
HD-W2-M*	Medium	Heavy Duty	4.5" / 1.43"	4.7"-6.0"	1.1-1.4mm
HD-W2-L*	Large	Heavy Duty	5.6" / 1.78"	5.8"-7.0"	1.1-1.4mm



Semi Conical Wrist Seals

Semi conical Wrist Seals - 11" Mounting circumference (standard)

1" for mounting

Item #	Size	Quality	Wrist Circumference / Diameter	Fits**	Thickness
GD-W3-M	Medium	Standard	4.3" / 1.37"	4.7"-7.0"	0.7-1.0mm
GD-W3-L	Large	Standard	5.6" / 1.78"	5.8"-8.0"	0.7-1.0mm



Long Conical Wrist Seals

Double dipped conical Wrist Seals, also known as the Viking model - up to 14" Mounting circumference

Item #	Size	Quality	Wrist Circumference / Diameter	Fits**	Thickness
GD-W5	Large	Standard	4.3" / 1.37"	Can be trimmed to any size	0.7-1.0mm
HD-W5	Large	Heavy Duty	4.3" / 1.37"	Can be trimmed to any size	1.1-1.4mm



Socks

Standard flat sock. 15" for mounting

Item #	Size	Quality	Mounting Circumference	Fits**	Thickness
GD-S2-10	10-11	Standard	up 18"	10-11	0.7-1.0mm
GD-S2-12	12-13	Standard	up 18"	12-13	0.7-1.0mm
GD-S1-10*	10-11	Standard	With Seal	10-11	0.7-1.0mm



Heavy Duty Gloves & Mitts

The industry standard for professional dry-suit gloves and mitts. Easy to pull over your ring system to perform a perfect seal. Available in 5 finger, 3 finger and Mitts version. Size / Finger length for G1 & G2

Size 10 Thumb: 60mm / 2 $\frac{3}{8}$ " Index: 70mm / 2 $\frac{3}{4}$ " Middle: 80mm / 3 $\frac{1}{8}$ " Ring: 75mm / 2 $\frac{7}{8}$ " Little: 65mm / 2 $\frac{1}{2}$ "

Size 11 Thumb: 70mm / 2 $\frac{3}{4}$ " Index: 80mm 3 $\frac{1}{8}$ " Middle: 90mm / 3 $\frac{1}{2}$ " Ring: 85mm / 3 $\frac{3}{8}$ " Little: 75mm / 2 $\frac{7}{8}$ "

Item #	Size	Quality	Length	Type	Thickness
GD-G1-10	10	Heavy Duty	280mm / 11"	5 Finger	1.1-1.6mm
GD-G1-11	11	Heavy Duty	280mm / 11"	5 Finger	1.1-1.6mm
GD-G2-10	10	Heavy Duty	350mm / 14"	5 Finger	1.1-1.6mm
GD-G2-11	11	Heavy Duty	350mm / 14"	5 Finger	1.1-1.6mm
GD-G4-10	10	Heavy Duty	330mm / 13"	3 Finger	1.1-1.6mm
GD-M1-10	10	Heavy Duty	330mm / 13"	Mitts	1.1-1.6mm



* Only made on order.

** Fits is only a guideline. Personal comfort may vary.

Blue Gloves

The G-Dive Blue Gloves are simple, easy to fit and can be used with any drysuit ring system. This design simply pulls OVER your existing ring system to form the seal. The gloves are made from soft PVC that are fabric lined to provide an anatomical shape. This helps to ensure the best possible hand movement and dexterity. The Blue Gloves pulls over the top of your existing ring system with the attached G-Dive latex seals to provide a watertight and chemical proof connection. This set also includes the under-gloves that can be worn under the suit's latex seal to provide more warmth and a means of equalizing to prevent squeeze at depth.

tem #	Size	Quality	Length	Type
GD-BG-8	Medium	Heavy Duty	330mm / 13"	5 Finger
GD-BG-9	Large	Heavy Duty	330mm / 13"	5 Finger
GD-BG-10	X-Large	Heavy Duty	330mm / 13"	5 Finger
GD-BG-11	XX-Large	Heavy Duty	330mm / 13"	5 Finger



Hoods

Flanged hoods can be mounted directly to the dry-suit or used with the SI-tech ring system.

The flanged hood with build in neck seal is a standard flanged hood mounted with a special made inner neck seal to give an extra protection from tears or leaks. Perfect for hazmat operations.

Item #	Size	Quality	Type
GD-H1-M	Medium	Heavy Duty	Straight Neck
GD-H1-L	Large	Heavy Duty	Straight Neck
GD-H2-L	Large	Heavy Duty	Flanged Hood
GD-H5-L	Large	Heavy Duty	Flanged Hood with build in Neck Seal



Ankle Seals

Standard flat sock. A1 = 17" for mounting circumference A2 = 15" for mounting circumference

Item #	Size	Quality	Ankle Circumference / Diameter	Fits**	Thickness
GD-A1-M	Medium	Standard	5.6" / 1.78"	5.8"-7.0"	0.7-1.0mm
GD-A1-L	Large	Standard	6.0" / 1.91"	6.2"-8.0"	0.7-1.0mm
HD-A1-M	Medium	Heavy Duty	5.6" / 1.78"	5.8"-6.5"	1.1-1.4mm
HD-A1-L	Large	Heavy Duty	6.0" / 1.91"	6.2"-7.5"	1.1-1.4mm
GD-A2-M	Medium	Standard	5.6" / 1.78"	5.8"-7.0"	0.7-1.0mm
GD-A2-L	Large	Standard	6.0" / 1.91"	6.2"-8.0"	0.7-1.0mm
HD-A2-M	Medium	Heavy Duty	5.6" / 1.78"	5.8"-6.5"	1.1-1.4mm
HD-A2-L	Large	Heavy Duty	6.0" / 1.91"	6.2"-7.5"	1.1-1.4mm



Repair parts

Adhesive, Hot-melt tape and finishing tape


Item #	Product	Unit	Comment
GD-GLUE4	Contact Adhesive	4oz	Can with brush
HMT-5	Hot melt tape	5 pack	Dry adhesive tape
HMT-50	Hot melt tape	50m pack	Dry adhesive tape
RB25-05	Finishing tape 1" / 25mm wide	Foot	
RB40-05	Finishing tape 1.5" / 40mm wide	Foot	

* Only made on order.

** Fits is only a guideline. Personal comfort may vary.

How to measure your size

Gloves



Finding Your Glove Size

Measure the circumference of your dominant hand just below your knuckles. Compare the measurement to the size chart below to find your glove size.


XS	S	M	L	XL	2X
6"-7"	7"-8"	8"-9"	9"-10"	10"-11"	11"-12"

Neck



Measure around the circumference of your neck with a soft tape measure. As a general rule, the seal opening should be trimmed to be no smaller than 80% (i.e. maximum of 20% less) than your actual measurement of the relaxed neck circumference, tighter than that could cut off blood flow to your brain.

Wrist



* Only made on order.

** Fits is only a guideline. Personal comfort may vary.