

Page 1 of 6 SAFETY DATA SHEET SDS-E-GN5S Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 9/20/2018 SDS Revision: 6.3 1. PRODUCT & COMPANY IDENTIFICATION 1 1 Product Name: DEOXIT® GOLD G-SERIES GN5, 5% SPRAY, NON-FLAMMABLE, VOC COMPLIANT 1.2 Chemical Name: 1.3 Synonyms DeoxIT® Gold G-Series 5% Spray; GN5S-6N and GN5S-2N (mini-spray) 1.4 Trade Names: DeoxIT® Gold G-Series 5% Spray; PN GN5S-6N (163 grams), PN GN5S-2N (40 grams) 1.5 Product Use: Conditioner, enhancer for plated and gold plated electronic contacts & connectors 1.6 Distributor's Name: CAIG Laboratories, Inc. 1.7 Distributor's Address: 12200 Thatcher Court, Poway, CA 92064-6876 USA 1.8 Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN205206) 1.9 Business Phone / Fax: +1 (800) 224-4123 2. HAZARDS IDENTIFICATION This product is classified as a HAZARDOUS SUBSTANCE and as DANGEROUS GOODS according to the classification 21 Hazard Identification: criteria of NOHSC: 1088 (2004) and ADG Code (Australia). WARNING! PRESSURIZED CONTAINER; MAY BURST IF HEATED. CAUSES EYE IRRITATION. Classification: Aerosols 3, Eye Irrit. 2B 2.2 Label Elements: Hazard Statements (H): H229 - Pressurized container; may burst if heated. H320 - Causes eye Precautionary Statements (P): P210 - Keep away from heat, hot surface, sparks, open flames and other ignition sources. No smoking. P251 – Do not pierce or burn, even after use. P264 – Wash thoroughly after handling. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy. Continue rinsing. P337+P313 - If eye irritation persist: Get medical advice/attention. P403 - Store in a well-ventilated place. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C / 122 °F. P501 – Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF) Other Warnings: 2.3 KEEP OUT OF REACH OF CHILDREN. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) **ACGIH** NOHSC **OSHA** ppm ppm ppm ES-EINECS No. TI V STEL STFI IDI H CHEMICAL NAME(S) CAS No. RTECS No. TWA STEL **PEAK** PFI OTHER NA NA NA 60-100 NA NA NF NF NF NA NA NA SOLSTICE® PF REACH Reg. No. 01-2119855084-38 1-PROPENE, 1,3,3,3-29118-24-9 NA NA 15-30 NA NA NF NF NF NA NA NA TETRAFLUORO-, (1E) REACH Reg. No. 01-0000019758-54 NA NA NF NF NF 15 NA DEOXIT ® GOLD G100L NA NA 3-7 NA NA (TRADE SECRET) REACH Reg. No. Non-hazardous/Proprietary 4. FIRST AID MEASURES If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk First Aid: Ingestion: IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. Splashes are not likely; however, mist may cause irritation. If product gets in the eyes may cause irritation; Eyes: flush with copious amounts of lukewarm water for at least 15 minutes lifting upper and lower lids, occasionally. If irritation persists repeat flushing. Get medical attention. Skin: Wash thoroughly with soap and water. In case of contact, immediately flush skin with plenty of water for at least 15 minutes. Treat for frostbite if necessary, be gently warming affected area. If irritation, redness or swelling persists, contact a physician immediately. Remove victim to fresh air at once. If breathing difficult, administer oxygen. Gross overexposure may Inhalation: cause central nervous system depression, dizziness, confusion, incoordination, drowsiness, irregular heartbeat accompanied by a strange feeling in the chest, "heart thumping," apprehension, lightheadedness, weakness, fainting, loss of consciousness, and death. 42 Effects of Exposure: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Ingestion: Eyes: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in Skin:

some sensitive individuals.

Gross overexposure may cause central nervous system depression, dizziness, confusion, incoordination, drowsiness, irregular heartbeat accompanied by a strange feeling in the chest, "heart thumping,"

apprehension, light-headedness, weakness, fainting, loss of consciousness, and death.

Inhalation:



Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SAFETY DATA SHEET

SDS Revision: 6.3

Page 2 of 6

SDS Revision Date: 9/20/2018

SDS-E-GN5S

4. FIRST AID MEASURES - cont'd 4.3 Symptoms of Overexposure: Nausea, intestinal discomfort, vomiting and/or diarrhea. Ingestion: Overexposure in eyes may cause redness, itching and watering. Eyes: Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Frostbite Skin: like symptoms. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some individuals. Gross overexposure may cause central nervous system depression, dizziness, confusion, incoordination, Inhalation: drowsiness, irregular heartbeat accompanied by a strange feeling in the chest, "heart thumping," apprehension, light-headedness, weakness, fainting, loss of consciousness, and death. 4.4 Acute Health Effects: Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea. Frostbite like effect to skin. 4.5 Chronic Health Effects: Overexposure may trigger asthma-like symptoms in some sensitive individuals. May also induce skin sensitization and respiratory hypersensitivity. Possible allergic dermatitis 4.6 Target Organs: Eyes, Skin, Respiratory System. 4.7 **Medical Conditions** Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** Aggravated by Exposure: target organs (eyes, skin, and respiratory system). **FLAMMABILITY** 1 PHYSICAL HAZARDS 0 PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: Level 1 Aerosol (NFPA 30B). Aerosols may burst at temperatures above 120 °F. Cool uninvolved containers to prevent possible bursting. Aerosols may be projectile hazards when bursting. If aerosols are bursting, stay clear until bursting is complete. This product is not flammable. However, if involved in a fire, this product may decompose at high temperatures to form toxic gases (e.g., CO, Hydrogen Fluoride). 5.2 Extinguishing Methods Water, Foam, CO₂, Dry Chemical. Use water spray to cool unopened containers. 5.3 Firefighting Procedures: Fight fires as for surrounding materials. As in any fire, wear MSHA/NIOSH approved selfcontained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Avoid spraying water directly into storage containers because of danger of boil-over. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective 6.1 Spills Equipment. Plastic or rubber gloves, respirator, eye protection and apron may be required for clean-up of large spills. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible material such as vermiculite or sand to soak up the product and place into a container for later disposal. Do not use water or a material such as "speedy dry" to soak up material. Sweep up material using non-sparking materials (e.g., plastic brooms, shovels, dustpans) and place into a plastic container or plastic liner within another container. Large Spills: Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Do not eat, drink or smoke when handling this product. Contents under pressure. Handle as to avoid puncturing container(s). When used as intended, no additional protective equipment is necessary. Use chemical goggles if eye contact is possible. Wash unintentional residues with soap and warm water. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120 °F. Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying keep cap in place when not in use. Special Precautions: 7.3 Clean all spills promptly. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Exposure Limits: ACGIH NOHSC OSHA OTHER 8.1 ppm (mg/m³) STEL IDLH TLV STEL **ES-TWA** CHEMICAL NAME(S) STEL **PEAK** PEL NA NA NF NF NF NA 82 Ventilation & Engineering General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station)



Page 3 of 6

SDS-E-GN5S

	LABORATORIES, INC.					
Prepa	ared to OSHA, ACC, ANS	SI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 6.3 SDS Revision Date: 9/20/2018				
	8.	EXPOSURE CONTROLS & PERSONAL PROTECTION – cont'd				
8.3	Respiratory Protection:	No special respiratory protection is required under typical circumstances of use or handling. If				
0.0	recipitatory i recededi.	necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia.				
8.4	Eye Protection:	Avoid eye contact. Protective eyewear recommended. Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling large quantities (of this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants.				
8.5	Hand Protection:	None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states.				
8.6	Body Protection:	No special body protection is required under typical circumstances of use and handling. If necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA.				
		9. PHYSICAL & CHEMICAL PROPERTIES				
9.1	Appearance:	Light yellow aerosol spray/mist				
9.2	Odor:	Ethereal / hydrocarbon odor				
9.3	Odor Threshold:	NA NA				
9.4	pH:	NA				
9.5	Melting Point/Freezing Point:	NA				
9.6	Initial Boiling Point/Boiling	NA NA				
9.7	Range: Flashpoint:	NA NA				
9.8	Upper/Lower Flammability Limits:	NA NA				
9.9	Vapor Pressure:	50 +/-5 psig @ 20 °C				
9.10	Vapor Density:	NA				
9.11	Relative Density:	$0.852 \pm 0.012 (7.10 \pm 0.1 \text{ lb/gal})$				
9.12	Solubility:	Partial to complete				
9.13	Partition Coefficient (log Pow):	NA .				
9.14	Autoignition Temperature:	NA NA				
9.15	Decomposition Temperature:	NA NA				
9.16	Viscosity:	NA NA				
9.17	Other Information:	0% VOC				
		10. STABILITY & REACTIVITY				
10.1	Stability:	This product is stable.				
10.2	Hazardous Decomposition Products:	Oxides of carbon (CO, CO ₂) and sulfur (SO ₂).				
10.3	Hazardous Polymerization:	Will not occur.				
10.4	Conditions to Avoid:	Open flames, sparks and high heat.				
10.5	Incompatible Substances:	None known.				
		11. TOXICOLOGICAL INFORMATION				
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: YES				
11.2	Toxicity Data:	This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is				
11.3	Acute Toxicity:	available for some of the components of the product.				
11.3	Chronic Toxicity:	See section 4.4				
11.4	Suspected Carcinogen:	See section 4.5 This product does not contain any chemicals known to the State of California to cause cancer or other reproductive				
	· ·	harm. For more information go to www.P65Warnings.ca.gov				
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.				
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.				
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.				
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.				
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.				
11.7	Irritancy of Product:	See Section 4.2				
11.8	Biological Exposure Indices:	NE				
11.9	Physician Recommendations:	Treat symptomatically.				



Page 4 of 6 SDS-E-GN5S

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 6.3 SDS Revision Date: 9/20/2018

		12. ECOLOGICAL INFORMATION			
12.1	Environmental Stability:				
12.2	Effects on Plants & Animals:	There are no specific data available for this product.			
12.3	Effects on Aquatic Life:	There are no specific data available for this product; however, very large releases of this product may be harmful or fata to overexposed aquatic life.			
		13. DISPOSAL CONSIDERATIONS			
13.1	Waste Disposal:	Products covered by this MSDS, in their original form, when disposed as waste, are considered non hazardous wast according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal regulations. Dispose of in accordance with federal, state and local regulations.			
13.2	Special Considerations:	California Waste Code: 331			
		14. TRANSPORTATION INFORMATION			
		r, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive inform VICAO, IMDG and the CTDGR.			
4.1	49 CFR (GND):	CONSUMER COMMODITY, ORM-D (IP VOL ≤ 1000 mL) – until 12/31/2020 UN1950, AEROSOLS, 2.2 (LTD QTY, IP VOL ≤ 1000 mL)			
4.2	IATA (AIR):	ID8000, CONSUMER COMMODITY, 9 (IP VOL ≤ 500 mL) UN1950, AEROSOLS, NON-FLAMMABLE, 2.2 (LTD QTY, IP VOL ≤ 820 mL)			
4.3	IMDG (OCN):	UN1950, AEROSOLS, 2.2 (LTD QTY, IP VOL ≤ 1000 mL)			
4.4	TDGR (Canadian GND):	UN1950, AEROSOLS, 2.2 (LTD QTY, IP VOL ≤ 1000 mL) or MARK PACKAGE "LIMITED QUANTITY," "LTD QTY," or "QUANT LTÉE" or "QUANTITÉ LIMITÉE"			
4.5	ADR/RID (EU):	UN1950, AEROSOLS, 2.2 (LTD QTY, IP VOL ≤ 1000 mL)			
14.6	SCT (MEXICO):	UN1950, AEROSOLS, 2.2 (CANTIDAD LIMITADA, IP VOL ≤ 1000 mL)			
14.7	ADGR (AUS):	UN1950, AEROSOLS, 2.2 (LTD QTY, IP VOL ≤ 1000 mL)			
		15. REGULATORY INFORMATION			
15.1	SARA Reporting	This product does not contain any substances subject to SARA Title III, section 313 reporting requirements.			
15.2	Requirements: SARA TPQ:	There are no specific Threshold Planning Quantities for the components of this product.			
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.			
5.4	CERCLA Reportable Quantity:				
15.5	Other Federal Requirements:	This material does not contain any hazardous air pollutants. This material does not contain any material listed as a Hazardous Substance under the CWA. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA.			
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.			
15.7	State Regulatory Information:	No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substance List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minneso Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY) Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substance List (WI).			
15.8	Other Requirements:	This product <u>does not</u> contain any chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov.			



Page 5 of 6

SDS-E-GN5S

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 6.3 SDS Revision Date: 9/20/2018

16. OTHER INFORMATION				
16.1	Other Information:	WARNING! PRESSURIZED CONATINER; MAY BURST IF HEATED. CAUSES EYE IRRITATION. Use only directed. Keep away from heat, hot surface, sparks, open flames and other ignition sources. No smoking. Do r pierce or burn, even after use. Wash thoroughly after handling. IF IN EYES: Rinse cautiously with water for seve minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persist: Get medic advice/attention. Store in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding °C / 122 °F. KEEP OUT OF REACH OF CHILDREN.		
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.		
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & CAIG Laboratories, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.		
16.4	Prepared for:	CAIG Laboratories, Inc. 12200 Thatcher Court Poway, CA 92064-6876 Tel: +1 (800) CAIG-123 (244-4123) Fax: +1 (858) 486-8398 fax http://www.caig.com/	CAIC LABORATORIES, INC.	
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate* Dangerous Goods Training & Consulting	



Page 6 of 6 SDS-E-GN5S

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 6.3

SDS Revision Date: 9/20/2018

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	No. Chemical Abstract Service Number	
RTECS No.	ECS No. Registry of Toxic Effects of Chemical Substances Number	
EINECS No. European Inventory of Existing Commercial Chemical Substances Number		

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists	
IDLH	Immediately Dangerous to Life and Health	
NOHSC	National Occupational Health and Safety Commission (Australia)	
OSHA U.S. Occupational Safety and Health Administration		
PEL	PEL Permissible Exposure Limit	
STEL Short Term Exposure Limit		
TLV Threshold Limit Value		
TWA Time Weighted Average		

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	
1	Slight Hazard	
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	



PERSONAL PROTECTION RATINGS:

Α			
В			
С		THE STATE OF THE S	
D	(ELL)	THE THE	
Е			
F		THE THE	

G				
Н			H.	
I				
J		(E)	F	
K	The state of the s		M	
Х	Consult your supervisor or SOPs for special handling directions.		SOPs for	



OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic	
Irrit	Irrit Irritant	
NA	Not Available	
NR	No Results	
ND	Not Determined	
NE	NE Not Established	
NF	Not Found	
SCBA	SCBA Self-Contained Breathing Apparatus	
Sens	Sens Sensitization	
STOT RE	Specific Target Organ Toxicity - Repeat Exposure	
STOT SE	Se Specific Target Organ Toxicity – Single Exposure	

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:		
Autoignition Temperature		
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source	
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source	

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	\
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	/ Y W Y
₩	Use No Water	HEALTH
ох	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

TOXICOLOGICAL INFORMATION:

LD ₅₀	LD ₅₀ Lethal Dose (solids & liquids) which kills 50% of the exposed animals			
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal			
ppm Concentration expressed in parts of material per million parts				
TD _{Io}	TD _{Io} Lowest dose to cause a symptom			
TCLo	Lowest concentration to cause a symptom			
TD _{Io} , LD _{Io} , & LD _o or	D _{Io} , & LD _o or Lowest dose (or concentration) to cause lethal or toxic effects			
TC, TCo, LCio, & LCo				
IARC	International Agency for Research on Cancer			
NTP	National Toxicology Program			
RTECS	Registry of Toxic Effects of Chemical Substances			
BCF	Bioconcentration Factor			
TLm	Median threshold limit			
log Kow or log Koc	Coefficient of Oil/Water Distribution			

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System			
DOT	U.S. Department of Transportation			
TC	Transport Canada			
EPA	U.S. Environmental Protection Agency			
DSL	Canadian Domestic Substance List			
NDSL	Canadian Non-Domestic Substance List			
PSL	Canadian Priority Substances List			
TSCA	U.S. Toxic Substance Control Act			
EU	European Union (European Union Directive 67/548/EEC)			
WGK	Wassergefährdungsklassen (German Water Hazard Class)			

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	®			Θ	(%)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\diamondsuit		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment